

Table 6.7A Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	13,236	13,470	10,627	11,104
Marijuana and Hashish	11,146	11,424	7,709	8,387
Cocaine	1,335	1,158	315	391
Crack	386	287	57	90
Heroin	272	248	63	42
Hallucinogens	854	822	279 ^a	511
LSD	148	146	36	82
PCP	15	19	17	14
Ecstasy	473	420	155	240
Inhalants	188	224	305	272
Nonmedical Use of Psychotherapeutics ^{2,3}	3,498	3,549	3,333	2,935
Pain Relievers	2,580	2,510	2,283	2,012
OxyContin [®]	298	344	60	148
Tranquilizers	1,215	1,057	923 ^a	648
Stimulants ³	709	934	462	431
Methamphetamine ³	343	471	97	124
Sedatives	72	83	198	168
ILLCIT DRUGS OTHER THAN MARIJUANA¹	4,877	4,917	4,007	3,748

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.7B Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Percentages, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	23.0	24.1	5.2	5.4
Marijuana and Hashish	19.4	20.5	3.8	4.1
Cocaine	2.3	2.1	0.2	0.2
Crack	0.7	0.5	0.0	0.0
Heroin	0.5	0.4	0.0	0.0
Hallucinogens	1.5	1.5	0.1 ^a	0.2
LSD	0.3	0.3	0.0	0.0
PCP	0.0	0.0	0.0	0.0
Ecstasy	0.8	0.8	0.1	0.1
Inhalants	0.3	0.4	0.2	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	6.1	6.4	1.6	1.4
Pain Relievers	4.5	4.5	1.1	1.0
OxyContin [®]	0.5	0.6	0.0	0.1
Tranquilizers	2.1	1.9	0.5 ^a	0.3
Stimulants ³	1.2 ^a	1.7	0.2	0.2
Methamphetamine ³	0.6	0.8	0.0	0.1
Sedatives	0.1	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	8.5	8.8	2.0	1.8

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.8A Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Numbers in Thousands, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	892 ^b	752	1,485	1,445
Marijuana and Hashish	803 ^a	692	997	1,070
Cocaine	27	26	3 ^a	18
Crack	1	1	*	2
Heroin	*	9	*	3
Hallucinogens	120	101	40	53
LSD	23	41	3	10
PCP	4	5	*	2
Ecstasy	60 ^a	30	13	19
Inhalants	61 ^b	27	126	94
Nonmedical Use of Psychotherapeutics ^{2,3}	231 ^a	171	462 ^a	378
Pain Relievers	170 ^a	120	389 ^a	305
OxyContin [®]	29	14	20	15
Tranquilizers	79 ^a	51	61	40
Stimulants ³	70 ^a	40	48	44
Methamphetamine ³	19	11	12	11
Sedatives	11	7	15	18
ILLCIT DRUGS OTHER THAN MARIJUANA¹	329 ^a	262	589	494

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.8B Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Percentages, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	54.6	53.9	6.4	6.1
Marijuana and Hashish	49.1	49.5	4.3	4.6
Cocaine	1.6	1.8	0.0 ^a	0.1
Crack	0.0	0.1	*	0.0
Heroin	*	0.7	*	0.0
Hallucinogens	7.3	7.2	0.2	0.2
LSD	1.4 ^a	3.0	0.0	0.0
PCP	0.3	0.4	*	0.0
Ecstasy	3.7	2.1	0.1	0.1
Inhalants	3.8 ^a	1.9	0.5	0.4
Nonmedical Use of Psychotherapeutics ^{2,3}	14.1	12.2	2.0 ^a	1.6
Pain Relievers	10.4	8.6	1.7 ^a	1.3
OxyContin [®]	1.8	1.0	0.1	0.1
Tranquilizers	4.8	3.6	0.3	0.2
Stimulants ³	4.3	2.9	0.2	0.2
Methamphetamine ³	1.1	0.8	0.0	0.0
Sedatives	0.7	0.5	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	20.1	18.8	2.5 ^a	2.1

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.9A Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Numbers in Thousands, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	4,540	4,443	2,842	3,047
Marijuana and Hashish	4,060	4,028	2,425	2,608
Cocaine	336	331	62	67
Crack	27	36	10	*
Heroin	113	89	25	3
Hallucinogens	414	428	186	189
LSD	85	76	33	29
PCP	7	2	5	2
Ecstasy	253	237	108	83
Inhalants	89	69	34	37
Nonmedical Use of Psychotherapeutics ^{2,3}	1,259 ^a	1,064	574	597
Pain Relievers	925 ^a	740	386	392
OxyContin [®]	132	92	13	15
Tranquilizers	429 ^a	317	109	117
Stimulants ³	289	313	110	149
Methamphetamine ³	91	104	6	16
Sedatives	17	14	34	21
ILLCIT DRUGS OTHER THAN MARIJUANA¹	1,654	1,550	780	788

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.9B Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Percentages, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	41.2	41.7	12.0	12.6
Marijuana and Hashish	36.9	37.8	10.3	10.8
Cocaine	3.0	3.1	0.3	0.3
Crack	0.2	0.3	0.0	*
Heroin	1.0	0.8	0.1	0.0
Hallucinogens	3.8	4.0	0.8	0.8
LSD	0.8	0.7	0.1	0.1
PCP	0.1	0.0	0.0	0.0
Ecstasy	2.3	2.2	0.5	0.3
Inhalants	0.8	0.6	0.1	0.2
Nonmedical Use of Psychotherapeutics ^{2,3}	11.4 ^a	10.0	2.4	2.5
Pain Relievers	8.4 ^a	6.9	1.6	1.6
OxyContin [®]	1.2	0.9	0.1	0.1
Tranquilizers	3.9 ^a	3.0	0.5	0.5
Stimulants ³	2.6	2.9	0.5	0.6
Methamphetamine ³	0.8	1.0	0.0	0.1
Sedatives	0.2	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	15.0	14.5	3.3	3.3

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.10A Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	7,804	8,274	6,301	6,611
Marijuana and Hashish	6,283	6,704	4,287	4,708
Cocaine	973	801	250	306
Crack	358	250	47	88
Heroin	159	150	38	35
Hallucinogens	320	293	53 ^a	269
LSD	39	29	*	43
PCP	4	12	12	10
Ecstasy	160	153	34	138
Inhalants	38 ^a	128	144	141
Nonmedical Use of Psychotherapeutics ^{2,3}	2,008	2,314	2,297	1,960
Pain Relievers	1,485	1,649	1,508	1,315
OxyContin [®]	137	238	28	118
Tranquilizers	708	689	753 ^a	492
Stimulants ³	350	581	304	238
Methamphetamine ³	233	356	80	97
Sedatives	44	62	148	130
ILLCIT DRUGS OTHER THAN MARIJUANA¹	2,893	3,104	2,637	2,466

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 6.10B Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Percentages, 2012 and 2013

Drug	CIGARETTE USE IN PAST MONTH			
	Any Use		No Use	
	2012	2013	2012	2013
ILLCIT DRUGS¹	17.4	18.9	4.0	4.2
Marijuana and Hashish	14.0	15.3	2.8	3.0
Cocaine	2.2	1.8	0.2	0.2
Crack	0.8	0.6	0.0	0.1
Heroin	0.4	0.3	0.0	0.0
Hallucinogens	0.7	0.7	0.0 ^a	0.2
LSD	0.1	0.1	*	0.0
PCP	0.0	0.0	0.0	0.0
Ecstasy	0.4	0.4	0.0	0.1
Inhalants	0.1 ^a	0.3	0.1	0.1
Nonmedical Use of Psychotherapeutics ^{2,3}	4.5	5.3	1.5	1.2
Pain Relievers	3.3	3.8	1.0	0.8
OxyContin [®]	0.3	0.5	0.0	0.1
Tranquilizers	1.6	1.6	0.5 ^a	0.3
Stimulants ³	0.8 ^a	1.3	0.2	0.1
Methamphetamine ³	0.5	0.8	0.1	0.1
Sedatives	0.1	0.1	0.1	0.1
ILLCIT DRUGS OTHER THAN MARIJUANA¹	6.4	7.1	1.7	1.6

*Low precision; no estimate reported.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.